

**PRODUCT TECHNICAL DATA SHEET**

**PRODUCT REFERENCE:**

**L144**

**Issue No.: 01**

**Date : January 2012**

<b>COLOUR</b>	L144 BLUE RAL 5002
<b>MASTERBATCH CARRIER:</b>	Polyethylene
<b>Recommended addition rate:</b>	1-2%
<b>Heat stability*</b>	280 Deg C
<b>Light Fastness:*</b>	7-8 Blue wool scale (8 highest )
<b>Weather Fastness:*</b>	4
<b>Heavy Metals:</b>	NO
<b>Diarylide:</b>	NO
<b>Additive:</b>	NO

**\* Pigment performance only**

**Specification accepted:**

**Date:**

The above mentioned masterbatch is suitable for use in materials intended for use in contact with foodstuffs under the following regulations.  
The above mentioned masterbatch is manufactured using pigments which are in accordance with European Resolution AP (89) 1.

The above mentioned masterbatch is suitable for use in materials intended for use in contact with foodstuffs under the following regulations.  
The above mentioned masterbatch is manufactured using pigments which are in accordance with FDA regulation 21CFR 178.3297.  
The above mentioned masterbatch is based on a polymer carrier that is F.D.A.compliant.

This information is based on our general experience and on information from our suppliers and does not constitute a specification since many factors affect the use of our product, no warranty is given or implied with respect to this information or patent infringement. We do not accept liability for loss or damage arising from the use of this information. Results are based on test based on original sample sent and are approximate values. Data and results must be confirmed by the buyer by testing for its intended conditions of use

**Prisma Colour Limited.**  
Hole House Mill  
Marple Road,  
Chisworth, Glossop  
Derbyshire SK13 5DH

t: 01457 856505  
f: 01457 851055  
www.prismacolour.com



VAT Reg. No: 562 7478 12  
Company Reg. No: 2658661  
Directors: T.W. Johnson & A.G. Johnson

Certificate number 2332/00